

SAVEL GAS

www.savelglobal.com






+ + +
+ + +



More Than Technology





Savel founder team had began with the mission to meet the technology with the Fuel World and laid the foundations of the company foundations which industry experience and knowledge and the principles of honesty and a brand new concept combining the company.

We aim to keep the customer's satisfaction at the maximum level, with the high quality products and customer-focused solutions and our own unique designs, as well as foreign originated quality equipments on every areas of the fuel sector.

Our main principles are competitive prices as well as for the service station equipments to reduce costs and maintain high profit margins to our distributors. Over the widespread sale of all our days are done through our dealer network. Thus, it also provides services through these dealers, sales of the products and services, maintenance is done efficiently and quickly, the quality of after sales service is held at a high level.

We want to introduce the technology, not only today's also with the future's one. The future technology has will come with the new and modern products . It requires continuous research and development. So this will make different and arise Savel, from the other firms in the industry.



Savel Electronic Engineering Communication Ltd

SAVEL

Perpa Ticaret Merkezi B Blok Kat: 13 No: 2390
Okmeydanı – istanbul - TURKEY
Phone: (212) 210 01 18 Fax: (212) 210 01 19
info@savelglobal.com www.savelglobal.com

More Than Technology

- + Fuel
- + Automation
- + LPG
- + CNG

General Features

General

Full multimedia support (Internet, Selling on the monitor, TV, Videos etc.)
3d designed columns
Keypad unit is made of stainless steel
Spotlighting support
The option a payable self service with credit card
RFID card interface unit
Electronic unit is designed with latest technology
Fully compatible with automation, cash registers and any multimedia (PC or Satellite) systems

Working properties

Flow Rate max-min (lpm) : 5 – 50 lpm
Operating Environment : -30 / +60 C
Temp. Measurement Range : -25 / +55°C
Relative Humidity : 95 %
Electronic Unit Safety : 220V, 50Hz 100 W

Flow Meter

4 piston positive displacement flow meter with sensitive adjustment capability
Accuracy : 0.5 %

Flow Control Valve

Monoblock two way Ex selenoid valve

Totalizers

We use 12 digits electronics totalizers for liter,money,shift-money and shift-liter, in addition to these, we use also 7 digits electromechanic totalizers according to your requests.

Electronic-Unit

Compatibility with the CANBUS technology
USB port support
Programmable electronic card
RS485 or Current-loop communication option
Compability with all the cash register
Compatibility with Savel multimedia module
Automatic electronic calibration
Compability with all the automation systems
1-wire and 2-wire special communication system
Card design according to the EMC tests
Menu systems in 6 different languages (Tr, En, Fr, Ar, Ru, Ge)
10 digits for electronic total

Keyboard

Solid keypad with 16 buttons made of stainless steel (ATM type)
Pre-Set Fill Keypads

Display

1" (25.4 mm) 6 digits for money, 6 digits for liter, 6 digits for unit price. Option one is a single screen.

Noozle and Hose

TS 9219 EN 1762 certified 5 / 8 "LPG hose
13' LPG hose (Lowstyle) or 15' LPG hose (Highstyle) with Safety Breakaways

P
e
r
s
p
e
c
t
i
v
e



SAVEL

Perpa Ticaret Merkezi B Blok Kat:13 No: 2390
Okmeydanı – İstanbul - TURKEY
Phone: (212) 210 01 18 Fax: (212) 210 01 19
info@savelglobal.com www.savelglobal.com

More Than Technology

+ Fuel
+ Automation
+ LPG
+ CNG

General Features

General

Flow Rate max-min (lpm) : 5 – 50 lpm
Operating Environment : -30 / +60 C
Temp. Measurement Range : - 25 / +55°C
Relative Humidity : 95 %
Electronic Unit Safety : 220V, 50Hz 100 W

Flow Meter

4 piston positive displacement flow meter with sensitive adjustment capability
Accuracy : 0.5 %

Flow Control Valve

Monoblock two way Ex selenoid valve

Totalizers

We use 12 digits electronics totalizers for liter, money, shift-money and shift-liter, in addition to these, we use also 7 digits electromechanic totalizers according to your requests.

Electronic-Unit

Compatibility with the CANBUS technology
USB port support
Programmable electronic card
RS485 or Current-loop communication option
Compatibility with all the cash register
Compatibility with Savel multimedia module
Automatic electronic calibration
Compatibility with all the automation systems
1-wire and 2-wire special communication system
Card design according to the EMC tests
Menu systems in 6 different languages (Tr, En, Fr, Ar, Ru, Ge)
10 digits for electronic total

Keyboard

Solid keypad with 16 buttons made of stainless steel (ATM type)
Pre-Set Fill Keypads


Display

1" (25.4 mm) 6 digits for money, 6 digits for liter, 6 digits for unit price. Option one is a single screen.

Noozle and Hose

TS 9219 EN 1762 certified 5 / 8 "LPG hose
13' LPG hose (Lowstyle) or 15' LPG hose (Highstyle) with Safety Breakaways

T
e
c
h
n
i
c
a
l
D
r
a
w
i
n
g
s



SAVEL

Perpa Ticaret Merkezi B Blok Kat:13 No: 2390
Okmeydanı – İstanbul - TURKEY
Phone: (212) 210 01 18 Fax: (212) 210 01 19
info@savelglobal.com www.savelglobal.com

More Than Technology

+ Fuel
+ Automation
+ LPG
+ CNG

SAVEL

Perpa Ticaret Merkezi B Blok Kat: 13 No: 2390

Okmeydanı – İstanbul - TURKEY

Phone: +90 (212) 210 01 18

Fax: +90 (212) 210 01 19

info@savelglobal.com

www.savelglobal.com